

Common Name	Scientific Name	SOURCE			Habitat Preference	AWV Record	Likelihood of Occurrence
		FFG	EPBC	DSE			
					'lerp'.		
Whiskered Tern	<i>Chlidonias hybridus</i>			nt	Wetlands.	12 records from Lake Goldsmith, Slater Lake and Buln Gherin Swamp	Suitable habitat present therefore likely to occasionally occur as it is a migrant species.
Mammals							
Brush-tailed Phascogale	<i>Phascogale tapoatafa</i>	l		v	Dry forest and woodland.	Three records from Trawalla State Forest, 2 kilometres from the site.	Some suitable habitat present and connectivity with known populations, therefore potential for species to be present.
Eastern Barred Bandicoot	<i>Perameles gunnii</i>	l	E	cr	Plains grassland and plains grassy woodland	Historical populations near Skipton and Lake Goldsmith.	Records have indicated that the Lake Goldsmith population has disappeared therefore unlikely to occur.
Fat-tailed Dunnart	<i>Sminthopsis crassicaudata</i>			nt	Native grassland with areas of bare ground and rocks.	One record from 1989 north-west of Skipton.	Suitable habitat present therefore likely to occur.
Smoky Mouse	<i>Pseudomys fumeus</i>		E	cr	Coastal heath, heathy woodland, sub-alpine heath, dry forest and gullies in wet forest.	No records	No suitable habitat or historical records. Unlikely to occur.

Common Name	Scientific Name	SOURCE			Habitat Preference	AWV Record	Likelihood of Occurrence
		FFG	EPBC	DSE			
Spot-tailed Quoll	<i>Dasyurus maculatus</i>		E	e	Rainforest, wet and dry forest, coastal heath and scrub and River Red Gum woodlands along inland rivers.	No records	No suitable habitat or historical records. Unlikely to occur.
Southern Bent-wing Bat	<i>Miniopterus schreibersii bassanii</i>		CR	cd	Roosts in caves during the day, dispersing over a range of habitats at night. Its feeding areas tend to be associated with major drainage systems.	No records	No suitable habitat or historical records. Unlikely to occur.
Southern Brown Bandicoot	<i>Isodon obesulus</i>		E	nt	Heathy forest, woodland, coastal scrub and heathland.	No records	No suitable habitat or historical records. Unlikely to occur.
Frogs							
Growling Grass Frog	<i>Litoria raniformis</i>	I	V	e	Areas of permanent water and farm dams, especially those with bulrushes and other dense fringing or floating vegetative cover (Organ 2002)	Several records in 2001 at the Trawalla Roadhouse, east of Beaufort.	Suitable habitat present, species likely to occur.
Reptiles							
Striped Legless Lizard	<i>Delma impar</i>	I	V	e	Tussocky native grassland.	One record from 1997.	Suitable habitat present, therefore likely to occur. Targeted survey recommended.
Invertebrates							

Common Name	Scientific Name	SOURCE			Habitat Preference	AWV Record	Likelihood of Occurrence
		FFG	EPBC	DSE			
Golden Sun Moth	<i>Synemon plana</i>	I	CR		Native grassland.	N/A	Suitable habitat present, therefore likely to occur. Targeted survey recommended.

Appendix 10: Potential of EPBC Act Threatened Species within Proposed Development Footprint

Species	EPBC Protected Matters Search Tool	Atlas of Victorian Wildlife	Habitat	Likelihood of Presence	Potential Impact	Mitigation Commitments
Corangamite Water Skink	Potential habitat	Twelve records dating between 1997 and 2005, concentrated SW of Streatham, approximately 29 kilometres from the proposed development.	Basaltic rock piles, remnant shrubs and permanent ephemeral shrubs.	No suitable habitat, therefore unlikely.	N/A	N/A
Eastern Barred Bandicoot	Potential habitat	Three records dating between 1992 and 2005. One record, dating from 1994, is situated adjacent to Lake Goldsmith, whilst remaining records are found approximately 12 kilometres away.	Native grasslands with long, dense grasses and low shrub cover for nesting and more open areas for foraging.	No suitable habitat, therefore unlikely.	N/A	N/A

Species	EPBC Protected Matters Search Tool	Atlas of Victorian Wildlife	Habitat	Likelihood of Presence	Potential Impact	Mitigation Commitments
Growling Grass Frog	Potential habitat	Forty records of this species between 1991 and 2004, concentrated into three groups situated around Beaufort, S of Ballarat, SW of Streatham. The closest records are situated approximately 15 kilometres from the proposed development.	This species inhabits areas of permanent water and farm dams, especially those with bulrushes and other dense fringing or floating vegetative cover.	Suitable habitat and historical presence suggest this species is likely to be present.	Direct mortality, habitat loss, reduction in habitat quality, loss of connectivity between suitable habitats.	Avoid areas of suitable habitat; avoid constructing through suitable habitats leading to fragmentation, implementation of best-practice construction methods.
Golden Sun Moth	Potential habitat	Data not available, however, data from the 2009 Commonwealth Policy Statement indicates that there are some historical records of this species within the area, though these date from 1946.	This species inhabits native grassland with tussocky areas and areas of bare ground.	Suitable habitat present and historical presence suggests this species is likely to be present.	Habitat loss, reduction in habitat quality, loss of connectivity between habitats.	Avoid areas of suitable habitat; avoid constructing through suitable habitats leading to fragmentation, implementation of best-practice construction methods.

Species	EPBC Protected Matters Search Tool	Atlas of Victorian Wildlife	Habitat	Likelihood of Presence	Potential Impact	Mitigation Commitments
Murray Cod	Potential habitat	One record, dating from 2000 around Lake Bolac, approximately 40 kilometres from the proposed development.	Freshwater habitats	No suitable habitat, therefore unlikely	N/A	N/A
Plains-wanderer	Potential habitat	Two records of Plains-wanderer SE of Linton, situated approximately 15 kilometres from the proposed development.	Sparse native grassland habitats, dominated by Wallaby and Spear Grasses.	Unsuitable habitat, therefore unlikely.	N/A	N/A
Regent Honeyeater	Potential habitat	Three records from 1989 indicate that this species has been present. Records were predominantly situated NNW of the study area approximately 15 kilometres from the edge of the proposed development.	Woodland species which favour dry ironbark open-forests inland of the Great Dividing Range. This species favours habitats along creek flats and broad river valleys.	No suitable habitat, therefore unlikely.	N/A	N/A

Species	EPBC Protected Matters Search Tool	Atlas of Victorian Wildlife	Habitat	Likelihood of Presence	Potential Impact	Mitigation Commitments
Spot-tailed Quoll	Potential habitat	One record of this species situated near Addington, 20 kilometres from the proposed development.	Variety of forest types, though prefer areas with a dense overstorey and understorey with abundant rocks, hollow-bearing trees and fallen logs.	No suitable habitat, therefore unlikely.	N/A	N/A
Striped Legless Lizard	Potential habitat	Thirty-five records between 1988 and 2006. These records are distributed throughout the wind farm, though there are some areas where these are concentrated, situated approximately 15 kilometres from the proposed development. The closest record is situated approximately 10 kilometres away.	Tussocky native grassland.	Suitable habitat, therefore present.	Direct mortality, habitat loss, reduction in habitat quality, loss of connectivity between suitable habitats.	Avoid areas of suitable habitat; avoid constructing through suitable habitats leading to fragmentation, implementation of best-practice construction methods.

Species	EPBC Protected Matters Search Tool	Atlas of Victorian Wildlife	Habitat	Likelihood of Presence	Potential Impact	Mitigation Commitments
Swift Parrot	Potential habitat	Thirty-eight records dating between 1994 and 2006 primarily concentrated around Clunes, situated approximately 40 kilometres from the area of proposed development.	Woodland species favouring mature eucalypts.	No suitable habitat, unlikely to be present.	N/A	N/A
Yarra Pigmy Perch	Potential habitat	Two records from 1990 situated near Cape Clear, situated approximately 20 kilometres from the proposed development.	Slow-flowing creeks with abundant aquatic vegetation and log snags.	No suitable habitat, unlikely to be present.	N/A	N/A
Migratory Species						
Cattle Egret	-	Ten records between 1988 and 1992 concentrated around Streatham, with one record being within Lake Goldsmith.	Grassland, woodland and wetlands and is often seen with cattle.	Suitable habitat, however, records are quite old, unlikely to be present.	N/A	N/A

Species	EPBC Protected Matters Search Tool	Atlas of Victorian Wildlife	Habitat	Likelihood of Presence	Potential Impact	Mitigation Commitments
Eastern Great Egret	-	Seventy-nine records dating between 1988 and 2006 concentrated around the Streatham area, though many also situated around Ballarat.	Areas of shallow water though are occasionally seen on damp grasslands.	Suitable habitat, likely to be present.	Direct mortality through turbine strikes, construction disturbance, habitat loss, fragmentation and degradation.	Avoiding constructing turbines in front of important flyways, implementation of best-practice construction methods, appropriate turbine siting to avoid sensitive areas, avoid working in sensitive areas during sensitive periods (September to March inclusive).
Latham's Snipe	-	Thirty-nine records, dating between 1988 and 2006 with one record found adjacent to Lake Goldsmith.	Freshwater inland.	Suitable habitat, likely to be present.		

Appendix 11: Exact Location of EPBC Act Species Recorded within 40 kilometres of the Proposed Development

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
EPBC Act Species						
Corangamite Water Skink	<i>Eulamprus tympanum marnieae</i>	Endangered	37°55'16"	143°10'21"	8-Nov-97	Northern shore Deep Lake, Chatsworth Road
			37°48'40"	143°13'31"	12-Jan-98	Lake 2 km S E of Vite Vite North
			37°42'12"	142°52'15"	26-Jan-98	East Beach Road, Lake Bolac, 2 km E of the township
			37°47'37"	143°02'25"	1-Feb-98	Deep Lake 4 km S E of Nerrin Nerrin
			37°48'29"	143°02'35"	19-Feb-98	Grassy Lake, Nerrin Pura Road 4 km W of Pura Pura
			37°45'34"	143°01'57"	19-Feb-98	Paddy Lake, 2.5 km E of Nerrin Nerrin
			37°49'46"	143°06'06"	7-Apr-98	Mt Emu Creek, beneath Vite Vite Road
			37°45'55"	143°10'05"	7-Apr-98	Mt Emu Creek, Walkers Road, 3.5 km N W of Vite Vite
			37°49'11"	143°01'59"	4-Oct-98	Northern shore Lake Gellie, 4 km W of Pura Pura
			37°48'27"	143°14'20"	1-Nov-02	Bannongil Station, 2.5km SE of Vite Vite North
			37°44'10"	143°02'11"	24-Feb-03	Lake Jolicum Wildlife Reserve NE shore
			37°53'38"	143°11'59"	10-Apr-05	Mt Elephant Station 5km N of Derrinallum
Eastern Barred Bandicoot	<i>Perameles gunnii</i>	Endangered	37°39'01"	143°15'43"	1-Dec-92	Near Skipton
			37°32'04"	143°22'00"	11-Oct-94	Lake Goldsmith State Game Reserve
			37°38'41"	143°15'25"	14-Dec-05	Mooramong Skipton Broken Creek
Growling	<i>Litoria raniformis</i>	Vulnerable	37°44'20"	143°02'03"	3-Dec-91	2 km E of Nerrin Nerrin Swamp

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
Grass Frog			37°44'11"	143°00'57"	14-Oct-92	Nerrin Nerrin Swamp
			37°45'03"	143°01'03"	14-Oct-92	Lake Oundell
			37°44'34"	143°01'50"	14-Oct-92	Nerrin Deep Swamp
			37°44'47"	143°01'54"	14-Oct-92	2 km NE of Nerrin Nerrin
			37°24'19"	143°50'55"	19-Nov-92	Gillies Road, Creswick
			37°34'20"	143°34'09"	24-Nov-92	Carngham Cemetery
			37°24'45"	143°26'45"	30-Dec-92	5 km NE of Beaufort
			37°44'34"	143°01'50"	11-Jan-93	Nerrin Deep Swamp
			37°44'11"	143°00'57"	11-Jan-93	Nerrin Nerrin Swamp
			37°44'34"	142°56'57"	2-Apr-93	5.5 km S of Westmere
			37°44'11"	143°00'57"	17-May-93	Nerrin Nerrin Swamp
			37°21'28"	143°24'59"	29-Aug-95	Trawalla Creek, Waterloo
			37°55'16"	143°10'21"	19-Dec-97	Northern shore Deep Lake, Chatsworth Road
			37°24'33"	143°26'32"	1-Aug-00	Roughly 4 km SSE of water
			37°25'20"	143°24'39"	2-Aug-00	Roughly 3 km E of Beaufort
			37°24'47"	143°24'59"	2-Aug-00	Roughly 4 km SSW of water
			37°16'31"	143°48'22"	22-Nov-00	Birch Creek, upstream of Jorgenson Bridge
			37°32'54"	143°53'26"	1-Mar-01	Nerrina Wetland
			37°24'40"	143°25'44"	1-Sep-01	Beaufort Racecourse Road (Cattleyard Site)
37°24'48"	143°26'49"	1-Sep-01	Beaufort - Trawalla Waterloo Road			

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
			37°24'31"	143°26'39"	1-Sep-01	Beaufort (XRoad Site) Cnr Trawalla Waterloo Road
			37°25'23"	143°24'35"	1-Sep-01	Beaufort - Dam Racecourse Road (Shearing Shed)
			37°25'10"	143°53'36"	1-Oct-01	Creswick
			37°48'18"	143°45'12"	1-Oct-01	Dereel Lagoon
			37°44'50"	143°47'15"	1-Oct-01	Enfield
			37°24'22"	143°27'21"	1-Nov-01	Trawalla (Creek)
			37°26'10"	143°28'11"	1-Nov-01	Trawalla Roadhouse
			37°42'39"	143°48'20"	1-Nov-01	Napoleons
			37°41'57"	143°48'27"	1-Nov-01	Napoleons
			37°39'58"	143°49'40"	1-Nov-01	Napoleons
			37°38'12"	143°46'32"	1-Nov-01	Ross Creek Reservoir
			37°55'16"	143°10'21"	15-Dec-01	Western shore Lake Logan, Chatsworth Road
			37°35'41"	143°42'53"	1-Jan-02	Haddon
			37°34'50"	143°42'14"	1-Jan-02	Haddon
			37°35'06"	143°41'52"	1-Jan-02	Haddon
			37°35'38"	143°43'26"	1-Jan-02	Haddon
			37°25'48"	143°08'02"	4-Dec-03	Roughly 8 km SSW of Buangor Ballyrogan
			37°25'20"	143°08'10"	21-Jan-04	Roughly 7 km SSW of Buangor Ballyrogan
			37°25'20"	143°08'10"	21-Jan-04	Roughly 7 km SSW of Buangor Ballyrogan

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
Murray Cod	<i>Maccullochella peelii peelii</i>	Vulnerable	37°43'58"	142°52'46"	7-Oct-00	Lake Bolac
Plains-wanderer	<i>Pedionomus torquatus</i>	Vulnerable	37°42'23"	143°35'48"	3-Dec-00	Clarksdale Bird Sanctuary 5km SE of Linton
Regent Honeyeater	<i>Anthochaera phrygia</i>	Endangered	37°17'54"	143°17'30"	1-Nov-89	Smiths Bridge Picnic, 4.7 km NNE of Mount Cole summit
			37°17'56"	143°17'30"	19-Nov-89	Smiths Bridge Picnic, 4.7 km NNE of Mount Cole summit
			37°19'54"	143°18'04"	24-Nov-89	Fiery Creek picnic ground, 17 k SSE of Elmhurst
Rufous fantail			1 Jan-65	37°40'30"	143°03'29"	Streatham
			21 Mar-82	37°41'22"	143°33'23"	Linton
			9 Mar-89	37°18'37"	143°14'16"	Bales
			9 Mar-89	37°18'33"	143°14'20"	Mount Buangor
			4 Sep-90	37°39'52"	143°54'11"	South-east of Buninyong
			25 Nov-98	37°15'52"	143°15'57"	Mount Buangor State Park
			1 Dec-98	37°36'49"	143°41'00"	Haddon
			15 Jan-99	37°15'03"	143°11'39"	Mount Cole
Spot-tailed Quoll	<i>Dasyurus maculatus</i>	Endangered	37°22'31"	143°39'51"	2-Oct-06	Mount Bolton Sunraysia Highway, Addington

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
Striped Legless Lizard	<i>Delma impar</i>	Vulnerable	37°22'30"	143°52'30"	1-Jan-88	Near Creswick
			37°49'03"	143°04'41"	22-Jan-93	Pura Pura, Carranballac Road
			37°34'38"	143°28'52"	5-Oct-97	Chepstowe
			37°12'45"	143°43'17"	14-Nov-02	Private land south of Talbot/Clunes Road near Mt Gree
			37°36'56"	143°19'45"	21-May-04	Blacks Creek Nature Conservation Reserve
			37°29'22"	142°51'54"	28-May-04	Rossbridge Wildlife Reserve 1 km E of Rossbridge
			37°29'19"	142°51'59"	21-Sep-04	Rossbridge Flora Reserve. Grange Road #3
			37°55'31"	143°06'18"	18-Nov-04	Chatsworth Road, Derrinallum
			37°30'25"	143°09'36"	20-Dec-04	Challicum Park 1, Old Geelong Road, Crossroads
			37°30'22"	143°09'44"	20-Dec-04	Challicum Park 1, Old Geelong Road, Crossroads
			37°29'19"	142°51'59"	3-Mar-05	Rossbridge Flora Reserve. Grange Road #3
			37°36'30"	143°19'58"	19-Jun-05	Blacks Creek NCR; Carngham Streatham Road
			37°29'02"	142°52'19"	30-Jun-05	Rossbridge Flora Reserve. Grange Road #3
			37°36'30"	143°19'42"	4-Oct-05	Blacks Creek NCR; Carngham Streatham Road
			37°30'05"	143°10'04"	4-Oct-05	Yalla y Poora
			37°29'02"	142°52'19"	7-Oct-05	Rossbridge Flora Reserve. Grange Road #3
			37°29'02"	142°52'19"	7-Oct-05	Rossbridge Flora Reserve. Grange Road #3
			37°30'05"	143°10'04"	7-Oct-05	Yalla y Poora

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
			37°52'21"	143°10'47"	20-Oct-05	Vite Vite Rail Reserve; Vite Vite & Daltons Road
			37°29'02"	142°52'19"	27-Oct-05	Rossbridge Flora Reserve. Grange Road #3
			37°29'02"	142°52'19"	27-Oct-05	Rossbridge Flora Reserve. Grange Road #3
			37°30'05"	143°10'04"	27-Oct-05	Yalla y Poora
			37°36'30"	143°19'42"	28-Oct-05	Blacks Creek NCR; Carngham Streatham Road
			37°29'02"	142°52'19"	29-Oct-05	Rossbridge Flora Reserve. Grange Road #3
			37°30'05"	143°10'04"	29-Oct-05	Yalla y Poora
			37°29'02"	142°52'19"	12-Nov-05	Rossbridge Flora Reserve. Grange Road #3
			37°30'05"	143°10'04"	12-Nov-05	Yalla y Poora
			37°29'02"	142°52'19"	13-Nov-05	Rossbridge Flora Reserve. Grange Road #3
			37°55'14"	143°06'38"	19-Nov-05	Chatsworth Road; Derrinallum #1, deep lake
			37°35'34"	143°30'32"	24-Nov-05	Chepstowe Grasslands #2 (east), Chepstowe
			37°29'02"	142°52'19"	19-Jan-06	Rossbridge Flora Reserve. Grange Road #3
			37°30'05"	143°10'04"	22-Jan-06	Yalla y Poora
			37°55'14"	143°06'38"	11-Apr-06	Chatsworth Road; Derrinallum #1, Deep Lake
			37°29'02"	142°52'19"	3-Aug-06	Rossbridge Flora Reserve. Grange Road #3
			37°30'05"	143°10'04"	4-Aug-06	Yalla y Poora
Satin Flycatcher			1 Jan-65	37°40'30"	143°03'29"	Streatham
			30 Oct-82	37°41'22"	143°33'23"	

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
			1 Feb-85	37° 19'50"	143° 14'42"	North-west of Beaufort
			9 Jan-90	37° 48'12"	143° 44'47"	Dereel
			16 Jan-90	37° 43'33"	143° 38'54"	Piggoteet
			18 Nov-98	37° 15'02"	143° 11'51"	Mount Cole
			1 Jan-99	37° 36'49"	143° 41'00"	Haddon
			4 Nov-00	37° 42'08"	143° 35'20"	Linton
			4 Nov-00	37° 41'13"	143° 32'30"	Linton
			16 Nov-00	37° 20'11"	143° 14'48"	Mount Buangor State Park
			3 Dec-00	37° 42'21"	143° 35'37"	Linton
Swift Parrot	<i>Lathamus discolor</i>	Endangered	37° 41'28"	143° 01'22"	17-May-94	Bushland Reserve I31, adjoining Kanya-Navarre Road
			37° 15'34"	143° 43'32"	25-Apr-95	Clunes State Forest
			37° 15'34"	143° 43'32"	19-May-96	Clunes State Forest
			37° 15'37"	143° 43'24"	4-Aug-96	Clunes State Forest
			37° 15'34"	143° 43'32"	4-Aug-96	Clunes State Forest
			37° 17'26"	143° 05'37"	24-Apr-97	Langi Ghiran State Park
			37° 17'21"	143° 45'13"	10-May-97	Beckworth Creek Clunes

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
			37°15'33"	143°43'24"	11-May-97	Clunes State Forest, South Greenoch
			37°17'25"	143°45'10"	3-Aug-97	Clunes
			37°17'25"	143°45'10"	21-Aug-97	Clunes
			37°17'30"	143°45'26"	14-May-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	11-Jun-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	18-Jun-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	1-Jul-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	2-Jul-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	10-Jul-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	13-Jul-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	14-Jul-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	16-Jul-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	17-Jul-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	18-Jul-98	Beckworth Creek Clunes
			37°17'30"	143°45'26"	19-Jul-98	Beckworth Creek Clunes
			37°13'08"	143°40'55"	8-Aug-98	Talbot
			37°14'28"	143°43'58"	8-Aug-98	Clunes
			37°14'19"	143°45'47"	8-Aug-98	Clunes
			37°17'30"	143°45'26"	9-Aug-98	Beckworth Creek Clunes
			37°11'49"	143°41'06"	14-Apr-99	Mullin's Bushland Reserve

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
			37° 15'45"	143° 42'51"	8-May-00	Clunes
			37° 14'15"	143° 45'55"	14-May-01	Fells Gully, Clunes
			37° 17'34"	143° 45'18"	14-May-01	75 Pickfords Road, Clunes
			37° 17'28"	143° 45'30"	24-Jun-01	Lena Wattleworth Bushland Reserve, Clunes
			37° 11'03"	143° 39'54"	22-Jul-01	Bakers Road, Talbot 2 km W of Talbot
			37° 10'01"	143° 37'45"	22-Jul-01	McIntyres Road 6 km W of Talbot
			37° 17'28"	143° 45'30"	25-Jul-01	Lena Wattleworth Bushland Reserve
			37° 11'47"	143° 40'44"	9-Aug-01	Sorrensens Road
			37° 14'03"	143° 45'26"	13-Sep-01	Fells Gully Road, Clunes
			37° 15'34"	143° 43'19"	3-Jun-03	Clunes Forest Nth of Clunes
			37° 15'35"	143° 43'23"	22-May-06	Dunach NCR south Greenoch
Yarra Pigmy Perch	<i>Nannoperca obscura</i>	Vulnerable	37° 47'27"	143° 34'59"	17-Jul-90	Near Cape Clear at power line reserve Woady Yaloak River
			37° 47'21"	143° 36'04"	17-Jul-90	Near Cape Clear at power line reserve Woady Yaloak River
Migratory Species						
Cattle Egret	<i>Ardea ibis</i>	Migratory Species	37° 33'06"	143° 50'07"	21-Mar-88	Lake Wendouree
			37° 17'17"	142° 56'54"	10-May-88	Roughly 2 km NE of Oliver
			37° 16'31"	142° 57'38"	18-Apr-89	Within 2 km of cemetery
			37° 32'39"	143° 47'49"	22-Apr-89	Roughly 2 km SW of Ballarat
			37° 16'48"	142° 59'44"	16-Aug-89	Green Hill Lake
			37° 44'16"	143° 02'07"	14-Jun-90	Lake Jollicum
			37° 23'46"	143° 44'18"	19-Sep-90	Addington Creswick Road, W of Coghills Creek

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
Eastern Great Egret	<i>Ardea modesta</i>	Migratory Species	37°32'26"	143°48'26"	1-Jul-91	4 km NE of Ballarat
			37°32'12"	143°55'36"	25-Jul-91	Springs Road, Ballarat
			37°33'06"	143°50'07"	23-Feb-92	Lake Wendouree
			37°44'16"	143°02'07"	17-Mar-88	Lake Jollicum
			37°45'03"	143°01'03"	17-Mar-88	Lake Oundell
			37°26'54"	143°37'22"	18-Mar-88	NW of cross section between Cockpit Lagoon Road and Western Highway
			37°44'16"	143°02'07"	29-Mar-88	Lake Jollicum
			37°14'43"	143°47'14"	18-Oct-88	North of Clunes
			37°45'03"	143°01'03"	5-Feb-89	Lake Oundell
			37°44'11"	143°00'57"	15-Mar-89	Lake Jollicum
			37°45'03"	143°01'03"	15-Mar-89	Lake Oundell
			37°26'54"	143°37'22"	17-Mar-89	Cockpit Lag
			37°26'54"	143°37'22"	20-Mar-89	Cockpit Lag
			37°44'11"	143°00'57"	22-Mar-89	Lake Jollicum
			37°45'03"	143°01'03"	22-Mar-89	Lake Oundell
			37°44'11"	143°00'57"	23-Feb-90	Lake Jollicum
			37°38'48"	143°15'38"	16-Mar-90	Horseshoe SW
			37°45'03"	143°01'03"	14-Jun-90	Lake Oundell
			37°39'16"	143°15'11"	18-Mar-91	Broken Creek
			37°45'03"	143°01'03"	13-Jun-91	Lake Oundell
			37°26'08"	143°42'26"	25-Jun-91	Lake Learmon
			37°30'58"	143°55'13"	26-Jun-91	White Swan
			37°32'15"	143°47'18"	22-Feb-92	Winter Swamp
			37°32'15"	143°47'18"	22-Feb-92	Winter Swamp
37°55'46"	143°10'09"	23-Feb-92	Deep Lake 4 km SE of Nerrin Nerrin			
37°44'11"	143°00'57"	24-Mar-92	Nerrin Nerrin Swamp			

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
			37°44'16"	143°02'07"	24-Mar-92	Lake Jollicum
			37°44'39"	143°01'43"	24-Mar-92	Nerria Deep Swamp
			37°42'26"	142°51'47"	17-Apr-92	Wetland ID 7422 635220
			37°44'34"	143°01'50"	24-Apr-92	Nerrin Deep Swamp
			37°44'11"	143°00'57"	1-May-92	Nerrin Nerrin Swamp
			37°44'16"	143°02'07"	4-Jun-92	Lake Jollicum
			37°44'34"	143°01'50"	4-Jun-92	Nerrin Deep Swamp
			37°45'06"	143°01'03"	4-Jun-92	Lake Oundell
			37°44'39"	143°01'43"	2-Jul-92	Nerrin Deep Swamp, 2.5 km NNE of Nerrin Nerrin
			37°48'33"	143°02'21"	2-Jul-92	Grassy Lake, 4 km WNW of Pura Pura
			37°45'10"	143°22'22"	24-Jul-92	Banongil East
			37°45'03"	143°01'03"	13-Aug-92	Lake Oundell, 1.5 km N of Nerrin Nerrin
			37°45'16"	142°54'10"	20-Aug-92	4.5 km ESE of Lake Bolac
			37°44'11"	143°00'57"	27-Aug-92	Nerrin Nerrin Swamp
			37°44'11"	143°00'57"	14-Oct-92	Nerrin Nerrin Swamp
			37°44'11"	143°00'57"	11-Feb-93	Nerrin Nerrin Swamp
			37°44'11"	143°00'57"	12-Mar-93	Nerrin Nerrin Swamp
			37°44'11"	143°00'57"	17-May-93	Nerrin Nerrin Swamp
			37°43'54"	142°59'06"	19-May-93	Nerrin Nerrin N W Lake, 4 km NW of Nerrin Nerrin
			37°58'54"	143°16'11"	27-Feb-94	Nerrin Nerrin N W Lake, 4 km NW of Nerrin Nerrin
			37°44'11"	143°00'57"	4-Mar-94	'The Waterway'
			37°44'16"	143°02'07"	4-Mar-94	'The Waterway'
			37°52'15"	143°03'05"	9-Mar-94	Nerrin Nerrin N W Lake, 4 km NW of Nerrin Nerrin
			37°55'46"	143°10'09"	26-Feb-95	Nerrin Nerrin N W Lake, 4 km NW of Nerrin

Species	Latin Name	EPBC Act Legal Status	Records Since 1988			
			Easting	Northing	Date	Location
						Nerrin
			37°58'54"	143°16'11"	26-Feb-95	Nerrin Nerrin N W Lake, 4 km NW of Nerrin Nerrin
			37°44'39"	143°01'43"	13-Apr-97	'The Waterway'
			37°17'08"	142°59'41"	24-Apr-97	Lake Greenhill
			37°58'54"	143°16'11"	21-Feb-98	Lake Tooliorook
			37°55'46"	143°10'09"	27-Feb-99	Lake Tooliorook
			37°58'54"	143°16'11"	27-Feb-99	Lake Tooliorook
			37°42'01"	142°51'50"	7-Jul-99	Lake Bolac 2km N of Lake Bolac
			37°26'50"	143°22'52"	30-Dec-99	Skipton Road, Beaufort 1 km S of Beaufort
			37°55'46"	143°10'09"	27-Feb-00	Lake Tooliorook
			37°31'04"	143°46'28"	1-Jul-00	Wiggins Road, Mitchell Park 10km NW of Ballarat
			37°31'04"	143°46'28"	1-Sep-00	Wiggins Road, Mitchell Park 10km NW of Ballarat
			37°42'08"	143°35'20"	24-Sep-00	Clarksdale Bird Sanctuary 5 km SE of Linton
			37°17'15"	142°59'16"	11-Oct-00	Green Hill Lake, Ararat 4 km E of Ararat
			37°32'44"	143°49'28"	22-Oct-00	Lake Wendouree, Ballarat 2 km NW of Ballarat
			37°32'19"	143°46'23"	23-Nov-00	Winter Swamp, Ballarat - Burrumbeet Road 5 km W of
			37°33'07"	143°53'23"	7-Jan-01	Nerrina Wetlands Waterbird Sanctuary 3 km NE of Ballarat
			37°32'53"	143°49'24"	8-Jan-01	Lake Wendouree, Ballarat
			37°32'42"	143°55'41"	13-Feb-01	Hillview Road, Nerrina
			37°17'15"	142°58'48"	26-Feb-01	Green Hill Lake
			37°55'46"	143°10'09"	26-Feb-01	Lake Tooliorook
			37°33'06"	143°50'07"	4-Mar-01	Lake Wendouree
			37°32'42"	143°55'41"	13-Mar-01	Hillview Road, Nerrina